


ryton and stretton

Ryton and Stretton are both utility paving options for use where cost is a major consideration. Ryton has a riven profile while Stretton has a lightly stippled top face which is slip resistant. Both are ideal for utility areas, shed bases or wherever a budget, non decorative paving is required.

Colour options • Buff (B) • Grey (G) • Red

	sizes (mm)	no. per pack	weight/kg per pack	Colours
Ryton	450 x 450 x 32	60	870	all
	600 x 600 x 32	25	800	B, G
Stretton	450 x 450 x 32	60	870	all
	600 x 600 x 32	25	800	B,G

As Ryton and Stretton are usually laid with minimal joints, the sizes quoted are the actual dimensions



cotstone walling

An authentic reproduction of the dry stone walling which is a familiar sight in the Cotswolds, Cotstone Walling is very quick and easy to use as each piece is a composite block appearing to be made of several pieces of stone.

Colour option • Cotswold

	sizes (mm)	m ² per pack	no. per pack	weight/kg per pack
Full Block	450 x 100 x 140	5.4	80	1060
Half Block	225 x 100 x 140	2.7	80	530
Single Coping	450 x 160 x 45	-	40	270
Double Coping	450 x 280 x 45	-	20	240
Pier Cap	410 x 410 x 45	-	20	310
Cotstone Edging	430 x 180 x 130	-	20	363

See page 138 for Wall Building Guide




carluke walling

Carluk Walling comes in three different finishes, Split, Pitched and Rumbled with a choice of three colours in each finish. This high quality walling can be used for load bearing applications.

Colour options • Buff • Buff Black • Red

	sizes (mm)	m ² per pack	no. per pack	weight/kg per pack	colours
Pitched Face	450 x 100 x 215	5.5	54	1228	all
	300 x 100 x 215	5.6	81	1228	all
	450 x 100 x 140	6.2	90	1333	all
	300 x 100 x 140	6.2	135	1333	all
	450 x 100 x 65	6.8	198	1361	all
Split Face	300 x 100 x 65	6.9	297	1361	all
	450 x 100 x 215	5.5	54	1228	all
	300 x 100 x 215	5.6	81	1228	all
	450 x 100 x 140	6.2	90	1333	all
	300 x 100 x 140	6.2	135	1333	all
Rumbled	450 x 100 x 65	6.8	198	1361	all
	300 x 100 x 65	6.9	297	1361	all
	450 x 100 x 215	4.9	48	1092	all
	300 x 100 x 215	5.0	72	1092	all
	450 x 100 x 140	5.5	80	1185	all
	300 x 100 x 140	5.5	120	1185	all
	300 x 100 x 65	6.1	264	1210	all

Coverage attained when laid with 10mm mortar joint. See page 138 for Wall Building Guide




pavedrive paviors

A functional and versatile range of block paving at competitive prices, Pavedrive Paviors are a practical solution for transforming any area used by vehicles. Pavedrive Paviors are available in two thicknesses: 50mm for standard domestic use and 60mm for heavy domestic use.

Colour options • Forest Blend • Buff • Marigold • Red • Charcoal • Brindle • Burnt Ochre • Grey

sizes (mm)	m ² per pack	no. per pack	weight/kg per pack	colours
200 x 100 x 50	9.76	488	1098	all
200 x 100 x 60	*	*	*	all

*Subject to change. Please check with your stockist. Note the laying advice on page 137




copings and pier caps

Peaked Copings and Pyramid Pier Caps have a beautifully smooth finish and come in several sizes to suit most new and existing walls.

Colour options • White • Buff

	sizes (mm)	no. per pack	weight/kg per pack	Colours
Single Coping	610 x 140	70	630	all
Double Coping	610 x 285	40	647	all
Pier Cap	305 x 305	8	100	all
Pier Cap	380 x 380	10	220	all
Pier Cap	460 x 460	4	137	all
Pier Cap	530 x 530	4	210	all

See page 138 for Wall Building Guide



pavekerb^{new}

The perfect finishing touch for Pavedrive and Penon Paviors.

Colour options • Red • Charcoal • Brindle

types and sizes (mm)	no. per pack	weight/kg per pack	colours
KL HB or BN 100 x 127 x 200	252	1241	all
KL HB Internal Corner	48	350	all
KL HB External Corner	48	336	all
KL BN Internal Corner	48	365	all
KL BN External Corner	48	350	all
KL HB Radial	72	317	all
KS HB or BN 100 x 127 x 125	378	1320	all
KS HB Internal Corner	72	331	all
KS HB External Corner	72	302	all
KS BN Internal Corner	72	324	all
KS BN External Corner	72	324	all
KS HB Radial Internal	108	324	all
KS HB Radial External	108	324	all

KS Straight

KL HB Internal

KS External



marketstone

Marketstone is a range of hand dressed, ethically sourced natural sandstone. All five types boast proven durability for exterior use in the UK. Sand Multi is easier to cut but is more porous and may need more regular cleaning. Grey Multi may develop brown markings as the stone weathers.



sand multi paving

sizes (mm)	m ² per pack	no. per pack	weight/kg per pack	no. per project pack
915 x 610	14.5	26	1070	9
610 x 610	9.7	26	720	8
610 x 455	15.3	55	1130	10
610 x 305	14.5	78	1070	10
305 x 305	14.5	156	1070	8
Project Pack	13.4	45 mixed	990	as above

Thickness 25-40mm. Sizes and coverage are those attained when laid with a 10-15mm joint.

circle

	no. per circle	dia. of circle (mm)	no. per pack	weight/kg per pack
Circle Kit	1 kit	2440	1 kit (25 pieces)	360

Thickness 25-40mm. For dimensions see page 133



pink multi paving

sizes (mm)	m ² per pack	no. per pack	weight/kg per pack	no. per project pack
855 x 570	11.7	24	880	9
570 x 570	14.6	45	1100	8
570 x 425	12.7	52	950	10
570 x 285	14.6	90	1100	10
285 x 285	15.4	190	1150	8
Project Pack	11.7	45 mixed	880	as above

Thickness 20-35mm. Sizes and coverage are those attained when laid with a 10-15mm joint.

circle

	no. per circle	dia. of circle (mm)	no. per pack	weight/kg per pack
Circle Kit	1 kit	2840	1 kit (37 pieces)	480

Thickness 20-35mm. For dimensions see page 133



desert multi paving

sizes (mm)	m ² per pack	no. per pack	weight/kg per pack	no. per project pack
855 x 570	18.0	37	960	9
570 x 570	20.8	64	1110	8
570 x 425	18.0	74	960	10
570 x 285	20.8	128	1110	10
285 x 285	10.4	128	550	8
Project Pack	11.7	45 mixed	660	as above

Thickness 15-22mm. Sizes and coverage are those attained when laid with a 10-15mm joint.

circle

	no. per circle	dia of circle (mm)	no. per pack	weight/kg per pack
Circle Kit	1 kit	2840	1 kit (37 pieces)	350

Thickness 15-25mm. For dimensions see page 133



grey multi paving

sizes (mm)	m ² per pack	no. per pack	weight/kg per pack	no. per project pack
855 x 570	18.0	37	960	9
570 x 570	20.8	64	1110	8
570 x 425	18.0	74	960	10
570 x 285	20.8	128	1110	10
285 x 285	10.4	128	550	8
Project Pack	11.7	45 mixed	660	as above

Thickness 15-22mm. Sizes and coverage are those attained when laid with a 10-15mm joint.

circle

	no. per circle	dia. of circle (mm)	no. per pack	weight/kg per pack
Circle Kit	1 kit	2840	1 kit (37 pieces)	350

Thickness 15-22mm. For dimensions see below



autumn multi paving

sizes (mm)	m ² per pack	no. per pack	weight/kg per pack	no. per project pack
855 x 570	18.0	37	1000	9
570 x 570	20.8	64	1160	8
570 x 425	18.0	74	1000	10
570 x 285	20.8	128	1160	10
285 x 285	10.4	128	580	8
Project Pack	11.7	45 mixed	660	as above


Thickness 15-22mm. Sizes and coverage are those attained when laid with a 10-15mm joint.

circle

	no. per circle	dia. of circle (mm)	No. per pack	weight/kg per pack
Circle Kit	1 kit	2840	1 kit (37 pieces)	350

Thickness 15-22mm. For dimensions see below

marketstone paving




This layout uses the exact quantities contained in our project packs of Marketstone.
 9 No. 855 x 570mm 10 No. 570 x 285mm
 8 No. 570 x 570mm 8 No. 285 x 285mm
 10 No. 570 x 425mm

One slab of each of the 5 sizes shown covers a total of 1.3 square metres. When the plan is used for Marketstone Sand Multi Paving, it will cover 13.4 square metres due to the slab sizes being larger in that colour.


all layouts to 1:50 scale

marketstone circles

Available in Pink Multi, Desert Multi, Grey Multi and Autumn Multi.




The 2.84m diameter Marketstone Circle is supplied as a complete 37 piece kit. Sand Multi Circle shares the same configuration but is 2.4m diameter.



yorkstone

A collection of paving, walling and accessories, Yorkstone is simple to use and great value for money. The wide choice of components and colours gives you the freedom to design your own unique yet co-ordinated scheme.



yorkstone riven paving

sizes (mm)	m ² per pack	no. per pack	weight/kg per pack	no. per project pack	no. per top up pack	colours
600 x 600 x 37	7.9	22	660	10	5	all
600 x 300 x 37	7.9	44	600	10	5	all
300 x 300 x 37	3.9	44	299	12	6	all
600 x 450 x 37	5.9	22	458	12	6	all
450 x 450 x 37	10.5	52	800	8	4	all
450 x 300 x 37	5.9	44	458	12	6	all
450 x 225 x 37	5.3	52	400	-	-	YB, OE, WY, WB
225 x 225 x 37	2.6	52	200	-	-	YB, OE, WY, WB
Project Pack	12.9	64 mixed	990	as above		all
Top Up Pack	6.4	32 mixed	495		as above	all

Sizes and coverage are those attained when laid with a 10-15mm joint. Note the laying advice on page 137



yorkstone stepping stones

With a wide choice of sizes and colours, Yorkstone Stepping Stones are ideal for linking paved areas, or crossing a lawn or border. Random Shaped Stepping Stones give a more natural appearance. Each pack contains a variety of shapes.

	sizes (mm)	no. per pack	weight/kg per pack	colours
Circular	450 x 37	52	630	YB, OE, WY, WB
	300 x 37	50	270	YB, OE
Octagonal	525 x 37	24	430	YB, OE, WY, WB
Random	570 max. x 400 max. x 37	22	325	WY, WB

yorkstone radius paving

With Yorkstone Radius Paving, you can add circular features in the same colours and profiles as our Yorkstone Riven paving. Multiple design options mean you can choose circles in any of three different sizes, either as stand-alone features, or inset into Yorkstone paving using Corner Infill Sets, with no cutting needed.

	no. per circle	dia of circle	no. per pack	weight/kg per pack	colours
Radius Centre Stone	1	450	22	266	all
Stone Segment	4	900	24	220	all
Quadrant	4	900	20	240	all
Inner Segment	20	1800	20	150	all
Mid Segment	20	2700	20	240	all
Outer Segment	20	3600	20	340	all
3 piece Corner Infill	4 sets	1800 sq	4 sets	53	YB, OE, WY, WB
5 piece Corner Infill	4 sets	2700 sq	4 sets	115	all
7 piece Corner Infill	4 sets	3600 sq	4 sets	220	YB, OE, WY, WB
Quadrant Circle Kit	1 kit	1800	1 kit*	198	all
Stone Segment Circle Kit	1 kit	1800	1 kit**	199	all



* Quadrant Circle Kit contains: 4 no. Quadrants and 20 no. Inner Segments
 ** Stone Segment Circle Kit contains: 1 no. Radius Centre Stone, 4 no. Stone Segments and 20 no. Inner Segments
 Thickness 37mm. For dimensions see page 136



yorkstone scalloped edging

The perfect finishing touch for Yorkstone paving, this co-ordinated edging comes in three of the most popular Yorkstone colours. Extra interest is provided by the fettled top edge and rough-hewn, sculpted detail.


sizes (mm)	no. per pack	weight kg per pack	colours
600 x 150 x 45	60	500	YB, OE, WB

yorkstone octant paving

Our patented Octant paving allows you to create octagonal features of any size. Using just two different units, you can add any number of rings to fit the available space. Both Yorkstone Walling and Tile on Edge have been specifically designed to fit around an Octant without the need for cutting.

	no. per pack	weight/kg per pack	colours
Octant Centre Stone	24	430	YB, OE, WY, WB
Octant Infill	48	860	YB, OE, WY, WB
Octant Cornerstone	24	430	YB, OE, WY, WB
Straight Tile on Edge	40	330	Antique Red
Octant Corner Tile on Edge	40	240	Antique Red

Thickness 37mm
 For dimensions see page 136



yorkstone walling

An accurate reproduction of rough-hewn walling stone, Yorkstone Walling is a versatile range of double-sided blocks, wide enough to create stable double-sided structures with single block thickness. It is available in all of our popular Yorkstone colours. Octant Blocks and Copings are used for building around Octant paving, see page 136.

	sizes (mm)	m ² per pack	no. per pack	weight/kg per pack	colours
Full Block	450 x 150 x 65	3.4	98	780	all
Half Block	225 x 150 x 65	1.7	98	390	all
Octant Block	100/220 x 150 x 65	1.5 (ext.)	60	270	YB
Straight Coping	450 x 175 x 45	-	40	290	all
Octant Coping	50/125 x 175 x 45	-	36	100	YB
Pier Cap	430 x 430 x 45	-	20	340	all

See page 138 for wall building guide

